

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((("6519568") or ("6324519") or ("6343313") or ("20020065929")).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/28 14:20
S4	11	EP-424648\$.did. EP-822718\$.did. WO-9911065\$.did. WO-9930493\$.did. WO-9946719\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 14:37
S5	39	((("5,995,092") or ("6,002,393") or ("6,009,410") or ("6,018,764") or ("6,018,768") or ("6,029,045") or ("6,057,872") or ("6,075,551") or ("6,075,971") or ("5,724,521") or ("5,724,525") or ("5,761,601") or ("5,761,662") or ("5,774,170") or ("5,774,664") or ("5,778,181") or ("5,848,396") or ("5,861,881") or ("5,933,811") or ("5,978,799") or ("5,982,445") or ("5,983,069") or ("5,987,518") or ("5,991,735") or ("4,602,279") or ("5,155,591") or ("5,231,494") or ("5,260,778") or ("5,319,455") or ("5,412,416") or ("5,446,919") or ("5,515,098") or ("5,515,424") or ("5,532,735") or ("5,565,909") or ("5,604,542") or ("5,636,346") or ("5,661,516") or ("5,717,923")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/24 14:38
S11	5	((("6,324,519") or ("20030163482") or ("6,047,264") or ("5,758,257") or ("5,995,943")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/24 14:42
S12	55	S4 or S5 or S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 08:50

S14	54652	((715/500.1) or (707/102) or (725/122) or (725/126) or (348/460) or (348/461) or (707/10) or (455/12.1) or (348/468) or (725/32) or (725/33) or (725/34) or (725/35) or (705/37) or (725/36) or (725/37) or (725/39) or (705/1) or (707/2) or (380/231) or (707/3) or (707/4) or (707/104.1) or (348/14.01) or (725/131) or (380/233) or (705/7) or (705/8) or (709/230) or (707/9) or (725/138) or (348/552) or (725/139) or (348/473) or (348/385.1) or (705/40) or (348/478) or (725/40) or (725/46) or (386/55) or (725/86) or (725/87) or (725/104) or (715/513) or (725/143) or (725/144) or (725/109) or (709/206) or (725/146) or (348/722) or (715/716) or (348/563) or (705/10) or (705/11) or (715/719) or (705/14) or (705/50) or (705/51) or (725/14) or (705/52) or (725/98) or (725/1) or (725/110) or (725/112) or (725/114) or (725/151) or (725/8) or (725/116) or (725/153) or (725/9) or (725/119) or (709/217) or (709/218) or (709/219) or (379/93.22) or (725/23) or (379/93.25) or (705/26) or (705/27) or (705/28) or (705/29) or (725/67) or (725/68) or (707/100)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/25 16:16
S16	30057	S14 and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 16:46
S19	0	(S12 or S16) and manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3)with ((characteristics or preference or profile) near5 (user or client or customer or viewer or subscriber) and network near5 (device or component or apparatus or element or hardware or interface or connection or type) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 08:45

S20	7	(S12 or S16) and manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) with ((characteristics or preference or profile) near5 (user or client or customer or viewer or subscriber) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 08:46
S21	10	(S12 or S16) and manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) with network near5 (device or component or apparatus or element or hardware or interface or connection or type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 08:46
S22	0	S20 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 16:54
S23	0	S12 and (S20 or S21)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 16:54
S24	17	S20 or S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 08:44
S25	2	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3)with ((characteristics or preference or profile) near5 (user or client or customer or viewer or subscriber) and network near5 (device or component or apparatus or element or hardware or interface or connection or type) ) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 08:46
S26	23	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) with ((characteristics or preference or profile) near5 (user or client or customer or viewer or subscriber) ) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:00

S27	140	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) with network near5 (device or component or apparatus or element or hardware or interface or connection or type) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:58
S28	2	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:59
S29	11	EP-424648\$.did. EP-822718\$.did. WO-9911065\$.did. WO-9930493\$.did. WO-9946719\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:15
S30	39	((("5,995,092") or ("6,002,393") or ("6,009,410") or ("6,018,764") or ("6,018,768") or ("6,029,045") or ("6,057,872") or ("6,075,551") or ("6,075,971") or ("5,724,521") or ("5,724,525") or ("5,761,601") or ("5,761,662") or ("5,774,170") or ("5,774,664") or ("5,778,181") or ("5,848,396") or ("5,861,881") or ("5,933,811") or ("5,978,799") or ("5,982,445") or ("5,983,069") or ("5,987,518") or ("5,991,735") or ("4,602,279") or ("5,155,591") or ("5,231,494") or ("5,260,778") or ("5,319,455") or ("5,412,416") or ("5,446,919") or ("5,515,098") or ("5,515,424") or ("5,532,735") or ("5,565,909") or ("5,604,542") or ("5,636,346") or ("5,661,516") or ("5,717,923"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/25 08:50
S31	5	((("6,324,519") or ("20030163482") or ("6,047,264") or ("5,758,257") or ("5,995,943"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/25 08:50
S32	55	S29 or S30 or S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 10:33
S33	0	S32 and (S26 or S27)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 08:51

S34	33	"6324519".pn. "6047264".pn. "20020049608".pn. "6484143".pn. "6820277".pn. "5724521".pn. "5758257".pn. "5848396".pn. "5991735".pn. "6009410".pn. "6018768".pn. "6029045".pn. WO-9946719\$.did. WO-9930493\$. did. WO-9911065\$.did. EP-822718\$.did. EP-424648\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:17
S35	0	(S26 or S27) and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:02
S36	0	(S26 or S27) and (log or audit) near5 updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:08
S37	0	(S26 or S27) and (log or audit\$3) near5 updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:08
S38	36	(S26 or S27) and (log or audit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:09
S39	2	(S26 or S27) and (log or audit\$3) near10 secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:12
S40	153	(S26 or S27) and (based or accord\$4 or depend\$3 or correspond\$3) with network near5 (device or component or apparatus or element or hardware or interface or connection or type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:15

S41	54652	((715/500.1) or (707/102) or (725/122) or (725/126) or (348/460) or (348/461) or (707/10) or (455/12.1) or (348/468) or (725/32) or (725/33) or (725/34) or (725/35) or (705/37) or (725/36) or (725/37) or (725/39) or (705/1) or (707/2) or (380/231) or (707/3) or (707/4) or (707/104.1) or (348/14.01) or (725/131) or (380/233) or (705/7) or (705/8) or (709/230) or (707/9) or (725/138) or (348/552) or (725/139) or (348/473) or (348/385.1) or (705/40) or (348/478) or (725/40) or (725/46) or (386/55) or (725/86) or (725/87) or (725/104) or (715/513) or (725/143) or (725/144) or (725/109) or (709/206) or (725/146) or (348/722) or (715/716) or (348/563) or (705/10) or (705/11) or (715/719) or (705/14) or (705/50) or (705/51) or (725/14) or (705/52) or (725/98) or (725/1) or (725/110) or (725/112) or (725/114) or (725/151) or (725/8) or (725/116) or (725/153) or (725/9) or (725/119) or (709/217) or (709/218) or (709/219) or (379/93.22) or (725/23) or (379/93.25) or (705/26) or (705/27) or (705/28) or (705/29) or (725/67) or (725/68) or (707/100)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/25 16:17
S42	15	S40 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:28
S43	4	S42 and (AD or advertis\$5 or content) and (headend or head adj end)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:29

S44	2	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) with network near5 (device or component or apparatus or element or hardware) near5 (type or characteristic or profile) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:59
S45	23	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) with ((characteristics or preference or profile) near5 (user or client or customer or viewer or subscriber) ) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:02
S46	141	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) with network near5 (device or component or apparatus or element or hardware or interface or connection or type) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:03
S47	2	S45 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:01
S48	21	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) adj10 ((characteristics or preference or profile) near5 (user or client or customer or viewer or subscriber) ) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:03
S49	276	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) adj10 (device or component or apparatus or element or hardware or interface or connection or type) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:03

S50	3	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) adj10 (device or component or apparatus or element or hardware) adj5 (type or profile or characteristic\$) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:04
S51	7	manag\$5 near15 (traffic or stream or dataflow or flow) with (based or accord\$4 or depend\$3 or correspond\$3) adj10 (device or component or apparatus or element or hardware) near5 (type or profile or characteristic\$) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:15
S52	0	S48 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:05
S53	28	S48 or S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:05
S54	53	(provid\$3 or provision\$3 or manag\$5 or regulat\$3 or control\$4 or monitor\$3) near5 (traffic or stream or dataflow or flow or streaming) adj15 (based or accord\$4 or depend\$3 or correspond\$3) adj10 (device or component or apparatus or element or hardware) near5 (type or profile or characteristic\$) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:25
S55	20	(provid\$3 or provision\$3 or manag\$5 or regulat\$3 or control\$4 or monitor\$3) near5 (traffic or stream or dataflow or flow or streaming) adj15 (based or accord\$4 or depend\$3 or correspond\$3) adj10 (user or client or customer or viewer or subscriber) near5 (type or profile or characteristic\$) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:29



S56	0	S54 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:30
S57	17	(S54 or S55) and ("709"/\$3 or "370"/\$6 or "705"/\$6 or "725"/\$6 or "379"/\$6).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:31
S58	53	(supply\$3 or deliver\$3 or provid\$3 or provision\$3 or manag\$5 or regulat\$3 or control\$4 or monitor\$3) near5 (traffic or stream or dataflow or flow or streaming) adj15 (based or accord\$4 or depend\$3 or correspond\$3) adj10 (device or component or apparatus or element or hardware) near5 (type or profile or characteristic\$) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:34
S59	21	(supply\$3 or deliver\$3 or provid\$3 or provision\$3 or manag\$5 or regulat\$3 or control\$4 or monitor\$3) near5 (traffic or stream or dataflow or flow or streaming) adj15 (based or accord\$4 or depend\$3 or correspond\$3) adj10 (user or client or customer or viewer or subscriber) near5 (type or profile or characteristic\$) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:29
S60	35	(supply\$3 or deliver\$3 or provid\$3 or provision\$3 or manag\$5 or regulat\$3 or control\$4 or monitor\$3) near5 (traffic or stream or dataflow or flow or streaming) adj15 (based or accord\$4 or depend\$3 or correspond\$3) adj10 (user or client or customer or viewer or subscriber) near5 (type or profile or characteristic\$ or preference or choice or selection) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:34

S61	0	S58 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:30
S62	24	(S58 or S60) and ("709"/\$3 or "370"/\$6 or "705"/\$6 or "725"/\$6 or "379"/\$6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:44
S63	800	(supply\$3 or deliver\$3 or provid\$3 or provision\$3 or manag\$5 or regulat\$3 or control\$4 or monitor\$3) near5 (traffic or stream or dataflow or flow or streaming) adj15 (based or accord\$4 or depend\$3 or correspond\$3) adj10 (device or component or apparatus or element or hardware) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:34
S64	363	(supply\$3 or deliver\$3 or provid\$3 or provision\$3 or manag\$5 or regulat\$3 or control\$4 or monitor\$3) near5 (traffic or stream or dataflow or flow or streaming) adj15 (based or accord\$4 or depend\$3 or correspond\$3) adj10 (user or client or customer or viewer or subscriber) and (@AD<"20001120" or @RLAD<"20001120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:34
S65	14	S63 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:34
S66	6	S65 and ("709"/\$3 or "370"/\$6 or "705"/\$6 or "725"/\$6 or "379"/\$6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:58
S67	8	S65 not S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:56

S68	190	(S63 or S64) and ("709"/\$3 or "370"/\$6 or "705"/\$6 or "725"/\$6 or "379"/\$6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:37
S69	39	S68 and (user or viewer or device or component) adj3 (characteristics or preference or requirement or profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:43
S70	17	S68 and ((client or customer or user or viewer) and (hardware or device or component)) near5 (characteristics or preference or requirement or profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:05
S71	4	S70 and (advertis\$5 or AD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:09
S72	2	("20020065929").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 17:52